Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	33093	(determin$3 or calculat$3 or measur$3) with (time) with (exists$3 or available)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 14:04
S2	5	(determin$3 or calculat$3 or measur$3) with (time) with (exists$3 or available) and (force) with (hop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 14:07
S3	378	(determin$3 or calculat$3 or measur$3) with (time) with ((exists$3 or available) and (transaction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF (a)	2005/05/03 14:08
S4	8	(determin$3 or calculat$3 or measur$3) with (time) with ((exists$3 or available) and (transaction)) and (FDMA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 15:21
S5	51	((RFID) or (radio adj frequency adj identification)) with ((frequency adj hopping) or (FDMA))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 16:23
S6	1	((RFID) or (radio adj frequency adj identification)) with ((frequency adj hopping) or (FDMA)) and (determin$3 or calculat$3 or measur$3) with (transaction or task or performance) with (time) and (available) with (time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 15:56
S7	1	((RFID) or (radio adj frequency adj identification)) with ((frequency adj hopping) or (FDMA)) and (determin$3 or calculat$3 or measur$3) with (transaction or task or performance) with (time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 15:56
S8	23	((RFID) or (radio adj frequency adj identification)) with ((frequency adj hopping) or (FDMA)) and (determin$3 or calculat$3 or measur$3) with time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 16:04

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S9	18	((RFID) or (radio adj frequency adj identification)) with ((frequency adj hopping) or (FDMA)) and (chang$3 or mov$3 or modif$3) with (frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 16:36
S10	8	((RFID) or (radio adj frequency adj identification)) with ((frequency adj hopping) or (FDMA)) and (chang$3 or mov$3 or modif$3) with (frequency) with (hop$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 17:03
S11	2	((RFID) or (radio adj frequency adj identification)) with ((frequency adj hopping) or (FDMA)) and (first and second) with (carrier adj frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 17:10
S13	1	((RFID) or (radio adj frequency adj identification)) with ((FDMA))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 17:18
S14	1	((RFID) or (radio adj frequency adj identification)) same ((FDMA))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 17:19
S15	50	((RFID) or (radio adj frequency adj identification)) with (frequency adj hopping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 17:19
S16	1	((RFID) or (radio adj frequency adj identification)) with (frequency adj hopping) and (first adj4 carrier adj frequency) same (second adj4 carrier adj frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 17:20
S17	1	((RFID) or (radio adj frequency adj identification)) with (frequency adj hopping) and (first adj4 carrier adj frequency) and (second adj4 carrier adj frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 17:20

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S18	2	((RFID) or (radio adj frequency adj identification)) with (frequency adj hopping) and (first with carrier adj frequency) same (second with carrier adj frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 17:20
S19	2	((RFID) or (radio adj frequency adj identification)) with (frequency adj hopping) and (first with carrier adj frequency) and (second with carrier adj frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 17:21
S20	3	((RFID) or (radio adj frequency adj identification)) with (frequency adj hopping) and (multiple or many or several or plurality) with (carrier adj frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 17:48
S21	340	(frequency adj hopping) and (multiple or many or several or plurality) with (carrier adj frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 17:48
S23	2	(frequency adj hopping) and (multiple or many or several or plurality) with (carrier adj frequency) and (calculat$3 or measur$3 or determin$3) with (transaction or task) with (time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 17:52
S24	97	(frequency adj hopping) and (multiple or many or several or plurality) with (carrier adj frequency) and (chang$3 or mov$3 or modif$4) with (carrier adj frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 17:52
S25	10	(frequency adj hopping) and (multiple or many or several or plurality) with (carrier adj frequency) and (chang$3 or mov$3 or modif$4) with (carrier adj frequency) and transponder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 09:47
S26	2	(frequency adj hopping) and (multiple or many or several or plurality) with (carrier adj frequency) and hop$3 with (expir$5 or limit or bracket or range) with (time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 14:46

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S27	5	(frequency adj hopping) with (carrier adj frequency) and hop$3 with (expir$5 or limit or bracket or range) with (time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 15:58
S28	275	RFID and frequency adj hopping	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 15:58
S29	98	RFID and frequency adj hopping and time with (task$3 or transaction$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 15:59
S31	1	RFID and frequency adj hopping same time with (task$3 or transaction$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 16:10
S32	1	RFID and frequency adj hopping same time same (task$3 or transaction$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 16:10
S34	2	RFID and frequency adj hopping and time with (task$3 or transaction$2) with hop$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 16:10
S35	2	RFID and frequency adj hopping and time with (task$3 or transaction$2) with hop$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 16:13
S38	3	frequency adj hopping with force	USPAT	OR	OFF	2005/05/04 16:34
S39	4	frequency adj hopping with (abrupt or force)	USPAT	OR	OFF	2005/05/04 17:09
S41	1	frequency adj hopping and (calculat$3 or measur$3 or determin$3) with (transaction adj6 time) same (availab$5 adj6 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 17:10

Ref	Hits	Query	Database	Op	State	Date
S44	80	frequency adj hopping and (calculat$3 or measur$3 or determin$3) with (availab$5 adj6 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 17:12
S45	31	frequency adj hopping and (calculat$3 or measur$3 or determin$3) with (availab$5 adj6 time) and (task or transaction or performance) with time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 17:30
S46	12	frequency adj hopping and (calculat$3 or measur$3 or determin$3) with (availab$5 adj6 time) same (task or transaction or performance) with time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 17:12
S47	5	(("6157811") or ("5848060") or ("5523726") or ("5856804") or ("5917447")).PN.	USPAT; USOCR	OR	OFF	2005/05/04 17:45
S48	600	((analog adj1 digital adj converter) or ("A/D") or (ADC)) with (down adj1 convert$3)	USPAT	OR	OFF	2005/05/04 17:46
S49	91	((analog adj1 digital adj converter) or ("A/D") or (ADC)) with (down adj1 convert$3) with (amplifier$1)	USPAT	OR	OFF	2005/05/04 17:46
S50	6	((analog adj1 digital adj converter) or ("A/D") or (ADC)) with (down adj1 convert$3) with (multiple or many or plurality) with (amplifier$1)	USPAT	OR	OFF	2005/05/04 17:46
S51	3	frequency adj hopping and transaction with hopping	USPAT	OR	OFF	2005/05/05 08:28
S52	451	frequency adj hopping and (calculat$3 or measur$3 or determin$3) with (time) with (transmit$4 and receiv$3)	USPAT	OR	OFF	2005/05/05 08:29
S53	39	frequency adj hopping and (calculat$3 or measur$3 or determin$3) with (time) with (transmit$4 and receiv$3) and (transmit$4) with (transponder)	USPAT	OR	OFF	2005/05/05 08:31
S54	23	frequency adj hopping and (calculat$3 or measur$3 or determin$3) with (time) with (transmit$4 and receiv$3) with (transponder)	USPAT	OR	OFF	2005/05/05 08:31

Ref	Hits	Query	Database	Op	State	Date
S57	23	frequency adj hopping and (calculat$3 or measur$3 or determin$3) with (time) with (transmit$4 and receiv$3) with (transponder$3)	USPAT	OR	OFF	2005/05/05 09:14
S59	384	(frequency adj hopping).AB.	USPAT	OR	OFF	2005/05/05 09:15
S60	65	(frequency adj hopping).AB. and (calculat$3 or measur$3 or determin$3) with (time) with (transmit$4 and receiv$3)	USPAT	OR	OFF	2005/05/05 09:16
S64	6	(frequency adj hopping).AB. and (calculat$3 or measur$3 or determin$3) with (time) with (transmit$4 and receiv$3) and transpond$4	USPAT	OR	OFF	2005/05/05 09:23
S65	65	(frequency adj hopping).AB. and (calculat$3 or measur$3 or determin$3) with (time) with (transmit$4 and receiv$3)	USPAT	OR	OFF	2005/05/05 09:23
S66	18	(frequency adj hopping).AB. and (calculat$3 or measur$3 or determin$3) with (time) with (transmitting and receiving)	USPAT	OR	OFF	2005/05/05 10:34
S67	5	(frequency adj hopping).AB. and hop$4 adj5 time and frequency with transition with time	USPAT	OR	OFF	2005/05/05 11:01
S68	73	(frequency adj hopping).AB. and hop$4 adj5 time and (switch$3 or chang$3) with channel	USPAT	OR	OFF	2005/05/05 11:02
S69	22	(frequency adj hopping).AB. and hop$4 adj5 time and (switch$3 or chang$3) adj3 channel	USPAT	OR	OFF	2005/05/05 11:02
S70	30	(frequency adj hopping).AB. and hop$4 adj5 time and (switch$3 or chang$3) adj3 channel$3	USPAT	OR	OFF	2005/05/05 13:29
S74	29	(frequency adj hopping).AB. and data adj transmission with time and channel with time	USPAT	OR	OFF	2005/05/05 13:29
S75	12	(frequency adj hopping).AB. and data adj transmission with time same channel with time	USPAT	OR	OFF	2005/05/05 14:03
S76	3	(("20030002601") or ("20020196842") or ("20020167999")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/05 15:42
S77	11	((RFID) or (radio adj frequency adj identification)) with (base adj station) and (multiple or many or plurality) with (transponder$2)	USPAT	OR	OFF	2005/05/05 14:45

Ref	Hits	Query	Database	Op	State	Date
S78	1	((RFID) or (radio adj frequency adj identification)) with (base adj station) and (multiple or many or plurality) with (transponder$2) and worst adj1 case	USPAT	OR	OFF	2005/05/05 14:32
S82	1	((RFID) or (radio adj frequency adj identification)) with (base adj station) and worst adj1 case and transponder$3	USPAT	OR	OFF	2005/05/05 14:34
S83	1	((RFID) or (radio adj frequency adj identification)) with (base adj station) and (multiple or many or plurality) with (transponder$2) and frequency adj hopping	USPAT	OR	OFF	2005/05/05 14:48
S84	2	((RFID) or (radio adj frequency adj identification)) with (base adj station) and (transponder$2) and frequency adj hopping	USPAT	OR	OFF	2005/05/05 14:50
S85	1	((RFID) or (radio adj frequency adj identification)) with (base adj station) and transmitter and receiver and frequency adj hopping	USPAT	OR	OFF	2005/05/05 14:50
S86	4	(("20030002601") or ("20020196842") or ("20020167999") or ("20030123589")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/05 15:43
S87	91	RFID and worst adj1 case	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 09:49
S88	1	RFID and worst adj1 case adj transaction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 09:49
S90	1	RFID and worst adj1 case same (long$3 with time with transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 09:50
S91	6	RFID and (long$3 with time with transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 09:51

Ref	Hits	Query	Database	Op	State	Date
S92	341	RFID and (transaction with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 09:51
S93	6	RFID and (transaction with (time or duration)) with (longest or largest or most)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 09:56
S94	13	RFID and (worst adj1 case with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 11:03
S95	65	RFID and transponder$2 and processor with (ADC or ("A/D") or analog adj1 digital adj converter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 11:04
S96	4	RFID and transponder$2 and processor with (ADC or ("A/D") or analog adj1 digital adj converter) with (transmitter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 11:07
S97	4	RFID and processor with (ADC or ("A/D") or analog adj1 digital adj converter) with (transmitter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 11:09
S98	29	RFID and (ADC or ("A/D") or analog adj1 digital adj converter) with (transmitter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 13:02
S99	518	RFID and transmi$5 with time with signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 13:02

S100	225	RFID and transmi$5 with time with signal and transponder$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 13:02
S101	93	RFID and (calculat$3 or determin$3 or measur$3) with transmi$5 with time with signal and transponder$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 13:03
S102	68	RFID and (calculat$3 or determin$3 or measur$3) with transmi$5 with receiv$3 with time with signal and transponder$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 14:00
S103	55	RFID and (calculat$3 or determin$3 or measur$3 or estimat$3) with transmi$5 with receiv$3 with time with signal and transponder$2 and time with (performance or transaction or send$3 with receiv$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 13:06
S104	32	RFID and (calculat$3 or determin$3 or measur$3) with transmi$5 with receiv$3 with time with signal and transponder$2 and frequency adj hopping	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 14:30
S105	1	RFID and frequency adj hopping and second with signal with carrier adj frequency with time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 16:15
S106	6	RFID and frequency adj hopping and power with transaction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 16:15
S107	183	RFID and frequency adj hopping and power with transmi$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 16:17

S108	12	RFID and frequency adj hopping with (chang$3 or modif$3 or alter$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 16:17